

Типоразмер насоса

Подача

Напор

Потребляемая

МОЩНОСТЬ

Частота

вращения

м/ч

л/с

м

кВт

# Сводная таблица характеристик химических насосов

Обновлено 05.09.2022 10:21

---

об/мин

--	--

XM 32-20-125

3,15

0,87

25

0,7

2900

--	--

XM 32-20-125a

3,15

0,87

20

# Сводная таблица характеристик химических насосов

Обновлено 05.09.2022 10:21

---

0,6

2900

XM 6/20

6

1,66

20

1,1

2900

XM 8/40д

8

2,22

# Сводная таблица характеристик химических насосов

Обновлено 05.09.2022 10:21

---

48

2,6

2900

XM 8/40

8

2,22

40

2,2

2900

XM 8/40a

8

2,22

35

1,9

2900

XM 8/406

8

2,22

30

1,6

2900

[X, XO, XM 50-32-125](#)


12,5

3,47

20

1,4

2900



[X, XO, XM 50-32-125a](#)


10,5

2,91

17

1,0

2900



[X, XO, XM 50-32-1256](#)


10

2,77

12,5

0,7

2900



[X, XO, XM 50-32-250](#)

12,5

3,47

80

9,4

2900



[X, XO, XM 50-32-250д](#)

12,5

3,47

88

10,3

2900



[X, XO, XM 50-32-250a](#)

11,5


3,19



67

7,2

2900



[X, XO, XM 50-32-2506](#)


10,5

2,91

55

6,0

2900



[X, XO, XM 65-50-125](#)


25

6,94

20

2,1

2900



[X, XO, XM 65-50-125a](#)


23

6,38

17

1,8

2900



[X, XO, XM 65-50-125б](#)


20

5,55

12,5

1,3

2900



[X, XO, XM 65-50-160](#)


25

6,94

32

3,8

2900



[X, XO, XM 65-50-160a](#)


22,5

6,25

26

2,8

2900



[X, XO, XM 80-65\(50\)-160](#)

50

13,88

32

7,0

2900



[X, XO, XM 80-65\(50\)-160a](#)

45

12,5

26

5,5

2900



[X, XO, XM 80-65\(50\)-160б](#)


42

11,66

20

3,7

2900



[X, XO, XM 80-50-200](#)


50

13,88

50

10,6

2900



[X, XO, XM 80-50-200a](#)


45

12,5

40

8,0

2900



X, XO, XM 80-50-2006


50

13,88

32

6,8

2900



[X, XO, XM 80-50-250](#)


50

13,88

80

19,1

2900



[X, XO, XM 80-50-250a](#)


45

12,5

67

13,0

2900





# Сводная таблица характеристик химических насосов

Обновлено 05.09.2022 10:21

---

X, XO, XM 80-50-315

50

13,88

125

32,7

2900



X, XO, XM 80-50-315a

45

12,5

100

23,5

2900



[X, XO, XM 100-80-160](#)

100

27,77

32

12,8

2900



[X, XO, XM 100-80-160a](#)


90

25

26

8,5

2900



[X, XO, XM 100-80-1606](#)


80

22,22

20

6,2

2900



[X, XO, XM 100-65-200](#)


100

27,77

50

19,0

2900



[X, XO, XM 100-65-200a](#)


90

25

40

13,6

2900



[X, XO, XM 100-65-250](#)


100

27,77

80

32,5

2900



[X, XO, XM 100-65-250a](#)


90

25

67

23,5

2900



[X, XO, XM 100-65-315](#)


100

27,77

125

63

2900



[X, XO, XM 100-65-315a](#)


90

25

105

48

2900



[X, XO, XM 150-125-315](#)

200

55,55

32

28

1450

[X, XO, XM 150-125-315a](#)

180

50

26

19

1450

[X, XO, XM 150-125-400](#)

200

55,55

50

45

1450

[X, XO, XM 150-125-400a](#)

180



50

40

29

1450

[X, XO, XM 200-150-315](#)

315

87,5

32

34,8

1450

[X, XO, XM 200-150-315a](#)

290

80,55

26

26,4

1450

--	--

[X, XO, XM 200-150-500](#)

315

87,5

80

98

1450

--	--

[X, XO, XM 200-150-500a](#)

290

80,55

63

71

1450

[X, XO, XM 200-150-500б](#)

270

75

50

53

1450

# Сводная таблица характеристик химических насосов

Обновлено 05.09.2022 10:21

---


АХ, АХО, АХМ 3/15


3

0,83

15

0,6

2900



АХМ 8/40д


8

2,22

48

2,6

2900



AXM 8/40


8

2,22

40

2,2

2900



AXM 8/40a


8

2,22

35

1,9

2900



AXM 8/40б


8

2,22

30

1,6

2900



AX, AXO, AXM 40-25-1|25


6,3

1,75

20

0,7

2900



AX, AXO, AXM 40-25-125a


6

1,66

17

0,6

2900



AX, AXO, AXM 40-25-1256

# Сводная таблица характеристик химических насосов

Обновлено 05.09.2022 10:21

---


5

1,38

12,5

0,4

2900



AX, AXO, AXM 40-25-160д


6,3

1,75

37

2,1

2900





AX, AXO, AXM 40-25-160


6,3

1,75

32

1,6

2900



AX, AXO, AXM 40-25-160a


6

1,66

25

1,2

2900



AX, AXO, AXM 40-25-1 606


5

1,38

20

0,9

2900



AX, AXO, AXM 50-32-1 25


12,5

3,47

20

1,4

2900



AX, AXO, AXM 50-32-125a


11,5

3,19

17

1,0

2900



AX, AXO, AXM 50-32-125b


10

2,77

12,5

0,7

2900



AX, AXO, AXM 50-32-160


12,5

3,47

32

2,6

2900



AX, AXO, AXM 50-32-160a


11,5

3,19

25

1,9

2900



AX, AXO, AXM 50-32-1606


10

2,77

20

1,4

2900



AX, AXO, AXM 50-32-200


12,5

3,47

50

5,3

2900



AX, AXO, AXM 50-32-200a


11,5

3,19

40

4,0

2900



AX, AXO, AXM 50-32-2006


10

2,77

32

2,9

2900



AX, AXO, AXM 50-32-250д


12,5

3,47

88

10,3

2900



AX, AXO, AXM 50-32-250


12,5

3,47

80

9,4

2900



AX, AXO, AXM 50-32-250a

11,5




3,19

67

7,2

2900



AX, AXO, AXM 50-32-2506

10,5

2,91

55

6,0

2900



AX, AXO, AXM 65-40-200


25

6,94

50

7,2

2900



AX, AXO, AXM 65-40-200a

24

6,66

40

5,5

2900



AX, AXO, AXM 65-40-2006

23

6,38

32

4,3

2900



AX, AXO, AXM 65-50-125


25

6,94

20

2,7

2900



AX, AXO, AXM 65-50-1|25a


23

6,38

17

2,1

2900



AX, AXO, AXM 65-50-1|256

20

5,55

# Сводная таблица характеристик химических насосов


Обновлено 05.09.2022 10:21

---

12,5

1,4

2900



AX, AXO, AXM 65-50-160


25

6,94

32

4,5

2900



AX, AXO, AXM 65-50-160a


24

6,66

26

3,5

2900



AX, AXO, AXM 65-50-1606


23

6,38

20

2,7

2900



AX, AXO, AXM 80-65-160

# Сводная таблица характеристик химических насосов

Обновлено 05.09.2022 10:21

---


50

13,88

32

7,6

2900



AX, AXO, AXM 80-65-160a


45

12,5

26

5,8

2900



# Сводная таблица характеристик химических насосов

Обновлено 05.09.2022 10:21

---

AX, AXO, AXM 80-65-1606

40

11,11

20

4,4

2900



AX, AXO, AXM 80-50-200

50


13,88

50



14,2

2900



AX, AXO, AXM 80-50-200a


45

12,5

41

10,5

2900



AX, AXO, AXM 80-50-200b


40

11,11

34

7,7

2900



AX, AXO, AXM 100-65-315


50

13,88

32

8,7

1450



AX, AXO, AXM 100-65-315a


45

12,5

25

5,7

1450



AX, AXO, AXM 100-65-3156


39

10,83

20

4,0

1450



AX, AXO, AXM 100-65-400


50

13,88

50

16,0

1450



AX, AXO, AXM 100-65-400a


44

12,22

39

12,0

1450



# Сводная таблица характеристик химических насосов

Обновлено 05.09.2022 10:21

---

AX, AXO, AXM 100-65-4006


40

11,11

33

9,0

1450



AX, AXO, AXM 125-80-250


80

22,22

20

8,6

1450



AX, AXO, AXM 125-100-315

125

34,72

32

17,5

1450

AX, AXO, AXM 125-100-315a

112

31,11

26

13,5

1450

AX, AXO, AXM 125-100-3156

102

28,33

21

10,5

1450

AX, AXO, AXM 125-100-400


125

34,72

50

28

1450



AX, AXO, AXM 125-100-400a


112

31,11

41

23

1450



AX, AXO, AXM 125-100-400б




105

29,16

35

17

1450



AX, AXO, AXM 150-125-315


200

55,55

32

29

1450



AX, AXO, AXM 150-125-315a


180

50

27

22

1450



AX, AXO, AXM 150-125-315b

165

45,83

21

15,7

1450

